




240V/50Hz

# PRODUCT PORTFOLIO



*Hunter*  
SINCE 1886



### QUALITY

Never satisfied, we develop our own protocols to ensure our fans exceed industry standards.

### DESIGN

From the first sketch to the final touch, we craft every detail to make your room come alive.

### INNOVATION

Breaking new ground since 1886, our products always aim to revitalize and revolutionize.

# 240V/50HZ PRODUCT PORTFOLIO

# TABLE OF CONTENTS

## TRADITIONAL

Bayport .....	6-7
Builder Deluxe .....	8-9
Builder Elite .....	10-11
Builder Plus.....	12-13
Low Profile III .....	14-15
Savoy .....	16-17
Caribbean Breeze .....	18
Kohala Bay .....	19
Seville II.....	20-21

## CONTEMPORARY

Carera .....	22-23
Central Park .....	24-25
Contempo.....	26-27
Flight.....	28
Eurus.....	29
Galileo.....	30-31
Industrie II .....	32-33
Nova.....	34-35
Sonic .....	36-37
Tribeca .....	38-39

## OUTDOOR

Cabo Frio .....	40-41
Hunter Original .....	42-43
Maribel .....	44-45
Outdoor Elements II.....	46-49

FAN SPECIFICATIONS.....	50-51
-------------------------	-------

## ACCESSORIES

Remote Controls/Wall Controls.....	52
Globe Adapters & Glass.....	52
Light Kits .....	53
Extension Downrods.....	54

# EACH AND EVERY COMPONENT CAREFULLY CRAFTED WITH YOU IN MIND



More than a century ago John and James Hunter invented the ceiling fan. Their legacy of quality, comfort and style continues today.

Blades, motors, switches—each component of a Hunter fan works in perfect concert with other components for a quiet, optimally performing, long lasting fan. Just as a well-tuned symphony lends sound, Hunter engineering designs each ceiling fan as a harmonized system.

## Quiet for Life

Every Hunter ceiling fan has been painstakingly designed and crafted to be more than just beautiful, more than just another ceiling fan. It's why our customers have come to demand Hunter performance time and time again. Our exclusive motor technology and mounting system ensure that every Hunter fan will be quiet and wobble-free. Just like every Hunter fan since 1886. Quiet for Life. That's our pledge.

## Anti-Vibration Technology

Hunter's patented AVT™ features our unique triangular hanger-ball system, which is for maximum stability and Wobble-Free® performance.

## Quality Engineering

Hunter has sophisticated testing facilities at all its worldwide factories, where engineers carefully test each fan model for quiet operation, maximum performance and overall quality of finish. No other manufacturer puts its products through such rigorous tests. Fan construction is a combination of motor performance, blade size and shape, and blade pitch. Consumers can buy Hunter fans with confidence knowing they're manufactured to work under "real world" conditions.



## Excellence in Design And Performance

Hunter has developed a product line that enhances virtually any home décor and are designed for years of dependability.

## Energy Efficiency

We don't just strive to give you a great value for your fan. We also work hard to create fans that will save you money every month on your utility bill.

To make it more convenient, we've included an informational energy chart for every ceiling fan. Please note that the energy data provided is for fans running at high speed.

Airflow  
**X,XXX** cfm

Electricity Use  
**XX** watt

Airflow Efficiency  
**XX** cfm/watt

91 to 122 cm ceiling fans have airflow efficiencies ranging from approximately 71 to 86 cubic feet per minute (CFM) per watt at high speed.

124 to 152 cm ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.

### HUNTER® TIP

Remember, ceiling fans cool people, not rooms.  
So, turn the fan off when you leave the room to save energy.

## Industry-Leading Warranty

What's the real proof of products you can purchase with confidence? Often, the answer can be found in a manufacturer's warranty. Hunter fans are covered by the industry's strongest warranty program. Hunter Fan Company grants this limited warranty to the original purchaser of any Hunter ceiling fan. This document can be found online at [www.HunterFan.com](http://www.HunterFan.com).

### LEGEND



WET RATED

#### ETL Wet Rated

Wet location fans are constructed more robustly than damp location fans. The motor, canopy and switch housings are sealed with rubber grommets to prevent moisture intrusion. Wet location fans can be exposed directly to water and feature stainless steel hardware, moisture-sealed electrical components, weather-sealed, water-tight gaskets located in canopy, top motor housing, switch housing, weep holes in motor and light switch housings, UV protective coatings and all-weather blades.



WALL CONTROL

#### Wall Control

Fan and light operation featuring full-range light dimming, auto detection to switch between incandescent and CFL bulbs, rocker switchplates, light delay feature that allows safe exit from room as lights dim to off and digitally programmable for easier installation.

\*Not all features available with all models.



DAMP RATED

#### ETL Damp Rated

Damp rated fans can withstand humidity and are built with stainless steel hardware, moisture-sealed electrical components and all-weather blades.



PULL CHAIN

#### Pull Chain

Pull chain operation.



# BAYPORT

**107**  
CM BLADESPAN

**INDOOR | TRADITIONAL**

Whisperwind® Motor



LIMITED  
LIFETIME  
MOTOR  
WARRANTY

MOTOR SIZE: 172 mm x 12 mm

**Installer's Choice® Three-Position Mounting System**  
Flush • Standard • Angled Ceiling



**24179**  
Brushed Nickel finish with 4 Maple/Cherry reversible blades



Cherry



Maple



**24174**  
Antique Brass finish with 4 Rosewood/Medium Oak reversible blades




Rosewood



Medium Oak



**24170**  
White finish with 4 White/Light Oak reversible blades




White



Light Oak

ENERGY INFORMATION	
Airflow	<b>4,137</b> CFM at high speed
Electricity Use	<b>62</b> Watts at high speed
Airflow Efficiency	<b>66</b> CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	32.66	116.48	25.04
B	29.11	112.93	21.49
C	8.71	8.71	8.71
D	24.1	24.1	24.1
E	15.75	15.75	15.75







# BUILDER DELUXE

**132**  
CM BLADESPAN

**INDOOR | TRADITIONAL**

Whisperwind® Motor



PULL CHAIN

LIMITED  
LIFETIME  
MOTOR  
WARRANTY


MOTOR SIZE: 172 mm x 12 mm  
**2 MOUNTING OPTIONS:**  
Standard • Angled Ceiling







**50570**  
Snow White finish with 5 Snow White/Beech reversible blades




Snow White



Beech



**50571**  
Brushed Nickel finish with 5 Brazilian Cherry/Burnt Walnut reversible blades




Brazilian Cherry




Burnt Walnut



**50572**  
New Bronze finish with 5 Yellow Walnut/Brazilian Cherry reversible blades




Yellow Walnut



Brazilian Cherry

ENERGY INFORMATION	
Airflow	<b>5,296</b> CFM at high speed
Electricity Use	<b>65</b> Watts at high speed
Airflow Efficiency	<b>82</b> CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	31.3	115.14	-
B	27.9	111.73	-
C	7.2	7.2	-
D	27.7	27.7	-
E	16.48	16.48	-
F	45.3	129.13	-



FEATURES
<ul style="list-style-type: none"> <li>White snowflake linen bowl light kit included</li> <li>Two E14 sockets rated max 60 watts</li> </ul>



# BUILDER ELITE

**132**  
CM BLADESPAN

**INDOOR | TRADITIONAL**

Whisperwind® Motor



PULL CHAIN

LIMITED  
LIFETIME  
MOTOR  
WARRANTY


MOTOR SIZE: 172 mm x 12 mm  
**2 MOUNTING OPTIONS:**  
Standard • Angled Ceiling








**50565**  
Snow White finish with 5 Snow White blades



Snow White



**50566**  
Brushed Nickel finish with 5 Brazilian Cherry/Maple reversible blades



Brazilian Cherry




Maple



**50567**  
New Bronze finish with 5 Yellow Walnut/Brazilian Cherry reversible blades




Yellow Walnut



Brazilian Cherry

ENERGY INFORMATION	
Airflow	<b>4,845</b> CFM at high speed
Electricity Use	<b>66</b> Watts at high speed
Airflow Efficiency	<b>74</b> CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)				
	STANDARD	ANGLED	FLUSH	
A	31.3	115.14	-	
B	27.9	111.73	-	
C	7.2	7.2	-	
D	27.7	27.7	-	
E	16.48	16.48	-	





# BUILDER PLUS

**132**  
CM BLADESPAN

**INDOOR | TRADITIONAL**

Whisperwind® Motor



PULL CHAIN

LIMITED  
LIFETIME  
MOTOR  
WARRANTY


MOTOR SIZE: 172 mm x 12 mm  
**2 MOUNTING OPTIONS:**  
Standard • Angled Ceiling








**50560**  
Snow White finish with 5 Snow White blades



Snow White



**50561**  
Brushed Nickel finish with 5 Brazilian Cherry/Burnt Walnut reversible blades




Brazilian Cherry




Burnt Walnut



**50562**  
New Bronze finish with 5 Brazilian Cherry/Yellow Walnut reversible blades




Brazilian Cherry



Yellow Walnut

ENERGY INFORMATION	
Airflow	<b>5,296</b> CFM at high speed
Electricity Use	<b>65</b> Watts at high speed
Airflow Efficiency	<b>82</b> CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	31.3	115.14	-
B	27.9	111.73	-
C	7.2	7.2	-
D	27.7	27.7	-
E	16.48	16.48	-
F	46.1	129.87	-



FEATURES
<ul style="list-style-type: none"> <li>Swirled marble tulips light kit included</li> <li>Three E27 sockets rated max 14 watts</li> </ul>



# LOW PROFILE III

**132**  
CM BLADESPAN

**INDOOR | TRADITIONAL**

Whisperwind® Motor



**LIMITED LIFETIME MOTOR WARRANTY**


**MOTOR SIZE: 172 mm x 15 mm**  
**LOW PROFILE MOUNTING**  
Flush Mounting



*Includes alternate 112 cm blade span option*



**24372**  
Brushed Nickel finish with 5 Chocolate/Maple reversible blades




Chocolate



Maple



**24377**  
White finish with 5 White/Maple reversible blades



White



Maple

ENERGY INFORMATION		
Airflow	<b>4,247</b>	CFM at high speed
Electricity Use	<b>66</b>	Watts at high speed
Airflow Efficiency	<b>65</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
<b>A</b>	-	-	24.64
<b>B</b>	-	-	19.81
<b>D</b>	-	-	31.75







# SAVOY

**132**  
CM BLADESPAN

**INDOOR | TRADITIONAL**



PULL CHAIN

LIMITED  
LIFETIME  
MOTOR  
WARRANTY

MOTOR SIZE: 172 mm x 15 mm

**Installer's Choice® Three-Position Mounting System**  
Flush • Standard • Angled Ceiling





**24520**  
Antique Brass finish with 5 Rosewood/Medium Oak reversible blades



Rosewood



Medium Oak



**24521**  
Brushed Nickel finish with 5 Maple/Cherry reversible blades



Maple



Cherry



**24524**  
Bright Brass finish with 5 Rosewood/Oak reversible blades




Rosewood



Oak



**24525**  
Amber Bronze finish with 5 Distressed Cherry/Mahogany reversible blades




Distressed Cherry



Mahogany



**24526**  
White finish with 5 White/Light Oak reversible blades




White




Light Oak

ENERGY INFORMATION	
Airflow	<b>5,090</b> CFM at high speed
Electricity Use	<b>64</b> Watts at high speed
Airflow Efficiency	<b>80</b> CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	36.53	120.35	28.91
B	32	115.82	24.38
C	8.71	8.71	8.71
D	30.12	30.12	30.12
E	15.75	15.75	15.75



**24457**  
Weathered Bronze finish  
with 5 Antique Dark Wicker  
reversible blades



Antique Dark Wicker



# CARIBBEAN BREEZE

## ENERGY INFORMATION


Airflow **5,092** CFM at high speed

Electricity Use **69** Watts at high speed

Airflow Efficiency **74** CFM/Watts at high speed

## DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
<b>A</b>	38.89	122.71	31.27
<b>B</b>	36.37	120.19	28.75
<b>C</b>	8.71	8.71	8.71
<b>D</b>	34.01	34.01	34.01
<b>E</b>	15.75	15.75	15.75
<b>F</b>	58.85	142.67	51.23



## FEATURES

- Swirled marble bowl
- Can be installed with or without light kit
- Two E27 sockets rated max 13 watts

**137**  
CM BLADESPAN

**INDOOR | TRADITIONAL**



LIMITED  
LIFETIME  
MOTOR  
WARRANTY


MOTOR SIZE: 172 mm x 15 mm

Installer's Choice® Three-Position Mounting System  
Flush • Standard • Angled Ceiling





**50610**  
 Antique Pewter finish  
 with 3 Matte Black  
 (plastic) blades



Matte Black

# KOHALA BAY

ENERGY INFORMATION		
Airflow	<b>4,521</b>	CFM at high speed
Electricity Use	<b>60</b>	Watts at high speed
Airflow Efficiency	<b>76</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	32.66	116.48	-
B	30.53	114.35	-
C	7.2	7.2	-
D	23.09	23.09	-
E	16.48	16.48	-
F	47.57	131.09	-

FEATURES
• Frosted pearl bowl
• Can be installed with or without light kit
• Two E27 sockets rated max 14 watts

**122**  
 CM BLADESPAN

**INDOOR | TRADITIONAL**

Whisperwind® Motor



LIMITED  
 LIFETIME  
 MOTOR  
 WARRANTY

**MOTOR SIZE: 172 mm x 12 mm**  
**2 MOUNTING OPTIONS:**  
 Standard • Angled Ceiling





# SEVILLE II

**112**  
CM BLADESPAN

**INDOOR | TRADITIONAL**



PULL CHAIN

LIMITED  
LIFETIME  
MOTOR  
WARRANTY

MOTOR SIZE: 172 mm x 15 mm

**Installer's Choice® Three-Position Mounting System**  
Flush • Standard • Angled Ceiling





**24034**  
Antique Brass finish with 5 Walnut/Medium Oak reversible blades




Walnut



Medium Oak



**24037**  
White finish with 5 White/Light Oak reversible blades



White



Light Oak



**24038**  
Brushed Nickel finish with 5 Maple/Gray reversible blades




Maple




Gray



**24039**  
New Bronze finish with 5 Medium Oak/Dark Cherry reversible blades




Medium Oak



Dark Cherry

ENERGY INFORMATION	
Airflow	<b>4,574</b> CFM at high speed
Electricity Use	<b>63</b> Watts at high speed
Airflow Efficiency	<b>72</b> CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	34.52	118.34	26.90
B	30.99	114.81	23.37
C	8.71	8.71	8.71
D	27.13	27.13	27.13
E	15.75	15.75	15.75
F	-	-	-





# CARERA

**132**  
CM BLADESPAN

**INDOOR | CONTEMPORARY**



PULL CHAIN


LIMITED  
LIFETIME  
MOTOR  
WARRANTY

MOTOR SIZE: 172 mm x 18 mm


**Installer's Choice® Three-Position Mounting System**  
Flush • Standard • Angled Ceiling



**24241**  
Graphite finish with 3 Chestnut/Graphite reversible blades



Chestnut




Graphite



**24243**  
Brushed Nickel finish with 3 Maple/Dark Walnut reversible blades




Maple



Dark Walnut



**24246**  
Arch White finish with 3 White/Maple reversible blades




White



Maple

ENERGY INFORMATION		
Airflow	<b>5,674</b>	CFM at high speed
Electricity Use	<b>67</b>	Watts at high speed
Airflow Efficiency	<b>85</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
<b>A</b>	34.87	118.69	27.25
<b>B</b>	25.53	109.35	17.91
<b>C</b>	8.71	8.71	8.71
<b>D</b>	20.09	20.09	20.09
<b>E</b>	15.75	15.75	15.75







# CENTRAL PARK

**107**

CM BLADESPAN

**INDOOR | CONTEMPORARY**

Whisperwind® Motor



WALL CONTROL

LIMITED  
LIFETIME  
MOTOR  
WARRANTY


**MOTOR SIZE: 172 mm x 12 mm**

**2 MOUNTING OPTIONS:**


Standard • Angled Ceiling



**50618**  
Aged Steel finish with 4 Dark Walnut/Gray Walnut reversible blades




Gray Walnut




Dark Walnut



**50619**  
Pewter Revival finish with 4 Black Oak/Roasted Oak reversible blades




Black Oak



Roasted Oak

ENERGY INFORMATION	
Airflow	<b>3,604</b> <i>CFM at high speed</i>
Electricity Use	<b>48</b> <i>Watts at high speed</i>
Airflow Efficiency	<b>75</b> <i>CFM/Watts at high speed</i>

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	-	-	-
B	23.77	107.59	-
C	7.2	7.2	-
D	26.39	26.39	-
E	16.48	16.48	-
F	35.59	119.41	-



FEATURES
<ul style="list-style-type: none"> <li>Painted cased white plus clear integrated light kit included</li> <li>Two E27 sockets rated max 14 watts</li> </ul>





# CONTEMPO

**132**  
CM BLADESPAN

**INDOOR | CONTEMPORARY**

Whisperwind® Motor



**LIMITED  
LIFETIME  
MOTOR  
WARRANTY**

**MOTOR SIZE: 172 mm x 12 mm**

**2 MOUNTING OPTIONS:**  
Standard • Angled Ceiling





**50612**

Brushed Nickel finish with 5 Dark Walnut/English Cherry reversible blades



Dark Walnut




English Cherry



**50613**

Snow White finish with 5 Snow White/Light Oak reversible blades



Snow White



Light Oak

ENERGY INFORMATION		
Airflow	<b>3,938</b>	CFM at high speed
Electricity Use	<b>52</b>	Watts at high speed
Airflow Efficiency	<b>76</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	-	-	-
B	25.6	109.42	-
C	7.2	7.2	-
D	29.43	29.43	-
E	16.48	16.48	-
F	36.02	120.32	-

FEATURES
<ul style="list-style-type: none"> <li>Painted cased white globe light kit included</li> <li>Two E27 sockets rated max 20 watts</li> </ul>

**50630**  
 Brushed Nickel finish  
 with 3 Coffee Beech  
 reversible blades



Coffee Beech



# FLIGHT

## ENERGY INFORMATION


Airflow **5,553** CFM at high speed

Electricity Use **66** Watts at high speed

Airflow Efficiency **84** CFM/Watts at high speed

## DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
A	32.84	116.66	25.22
B	28.12	111.94	20.0
C	8.92	8.92	8.92
D	18.01	18.01	18.01
E	15.75	15.75	15.75



## LIGHT KIT ADAPTABLE



**132**  
 CM BLADESPAN

## INDOOR | CONTEMPORARY



WALL CONTROL

LIMITED  
 LIFETIME  
 MOTOR  
 WARRANTY

MOTOR SIZE: 172 mm x 20 mm

Installer's Choice® Three-Position Mounting System  
 Flush • Standard • Angled Ceiling





**50611**  
 Brushed Nickel finish  
 with 3 Coffee Beech  
 reversible blades



Coffee Beech

# EURUS

ENERGY INFORMATION		
Airflow	<b>6,402</b>	CFM at high speed
Electricity Use	<b>65</b>	Watts at high speed
Airflow Efficiency	<b>99</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	-	-	-
B	28.91	112.73	-
C	7.14	7.14	-
D	24.54	24.54	-
E	16.48	16.48	-
F	43.84	127.66	-

- | FEATURES  |
|---|
| <ul style="list-style-type: none"> <li>• Painted cased white globe light kit included</li> <li>• One E27 socket rated max 60 watts</li> </ul> |

**137**  
 CM BLADESPAN

**INDOOR | CONTEMPORARY**

Whisperwind® Motor



LIMITED  
 LIFETIME  
 MOTOR  
 WARRANTY

MOTOR SIZE: 172 mm x 20 mm

**2 MOUNTING OPTIONS:**  
 Standard • Angled Ceiling





# GALILEO

**122**

CM BLADESPAN

**INDOOR | CONTEMPORARY**

Whisperwind® Motor



WALL CONTROL

LIMITED  
LIFETIME  
MOTOR  
WARRANTY

**MOTOR SIZE: 172 mm x 12 mm**

**2 MOUNTING OPTIONS:**

Standard • Angled Ceiling

**50620**

Alpha Bronze finish with 3 Burnt Walnut/Roasted Walnut reversible blades



Burnt Walnut



Roasted Walnut



**50621**

Brushed Nickel finish with 3 Dark Walnut/Dark Oak reversible blades



Dark Walnut




Dark Oak



ENERGY INFORMATION		
Airflow	<b>4,380</b>	CFM at high speed
Electricity Use	<b>46</b>	Watts at high speed
Airflow Efficiency	<b>95</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	-	-	-
B	23.09	106.91	-
C	7.2	7.2	-
D	26.16	26.16	-
E	16.48	16.48	-
F	34.47	118.29	-



FEATURES
<ul style="list-style-type: none"> <li>Painted cased white globe light kit included</li> <li>Two E27 sockets rated max 14 watts</li> </ul>





# INDUSTRIE II

**132**  
CM BLADESPAN

**INDOOR | CONTEMPORARY**



WALL CONTROL

LIMITED  
LIFETIME  
MOTOR  
WARRANTY

MOTOR SIZE: 172 mm x 15 mm

**Installer's Choice® Three-Position Mounting System**  
Flush • Standard • Angled Ceiling





**24542**  
Brushed Chrome finish with 3 Gray/Teak reversible blades




Gray



Teak



**24545**  
Graphite finish with 3 Graphite/Chestnut reversible blades




Graphite



Chestnut



**24547**  
White finish with 3 White/Maple reversible blades




White



Maple

ENERGY INFORMATION		
Airflow	<b>5,241</b>	CFM at high speed
Electricity Use	<b>66</b>	Watts at high speed
Airflow Efficiency	<b>80</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	-	-	-
B	36.68	120.5	29.06
C	8.71	8.71	8.71
D	18.92	18.92	18.92
E	15.67	15.67	15.67





# NOVA

**107**  
CM BLADESPAN

**INDOOR | CONTEMPORARY**

Whisperwind® Motor



WALL CONTROL

LIMITED  
LIFETIME  
MOTOR  
WARRANTY

MOTOR SIZE: 172 mm x 12 mm

**2 MOUNTING OPTIONS:**  
Standard • Angled Ceiling






**50616**  
Architectural White  
finish with 3 Walnut  
blades



Walnut



**50617**  
Matte Black finish with  
3 Dark Walnut blades



Dark Walnut

#### ENERGY INFORMATION


Airflow **3,731** *CFM at high speed*

Electricity Use **47** *Watts at high speed*

Airflow Efficiency **79** *CFM/Watts at high speed*

#### DIMENSIONS AND MEASUREMENT (in centimeters)

	STANDARD	ANGLED	FLUSH
<b>A</b>	-	-	-
<b>B</b>	21.77	105.59	-
<b>C</b>	7.19	7.19	-
<b>D</b>	21.39	21.39	-
<b>E</b>	16.48	16.48	-
<b>F</b>	32.69	116.05	-



#### FEATURES

- Painted cased white globe light kit included
- Two E27 sockets rated max 14 watts





# SONIC

**132**

CM BLADESPAN

**INDOOR | CONTEMPORARY**

Whisperwind® Motor




WALL CONTROL

LIMITED  
LIFETIME  
MOTOR  
WARRANTY


**MOTOR SIZE: 172 mm x 20 mm**

**2 MOUNTING OPTIONS:**

Standard • Angled Ceiling




**50665**  
Brushed Nickel finish  
with 4 Gray blades



Gray



**50666**  
White finish with 4  
White blades



White

ENERGY INFORMATION		
Airflow	<b>5,709</b>	<i>CFM at high speed</i>
Electricity Use	<b>61</b>	<i>Watts at high speed</i>
Airflow Efficiency	<b>94</b>	<i>CFM/Watts at high speed</i>

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	-	-	-
B	25.47	-	-
C	7.14	7.14	-
D	27.02	27.02	-
E	16.51	16.51	-
F	37.08	-	-

FEATURES
<ul style="list-style-type: none"> <li>Painted cased white globe light kit included</li> <li>Two E27 sockets rated max 20 watts</li> </ul>





# TRIBECA

**152**  
CM BLADESPAN

**INDOOR | CONTEMPORARY**




WALL CONTROL

LIMITED  
LIFETIME  
MOTOR  
WARRANTY

MOTOR SIZE: 172 mm x 15 mm

**2 MOUNTING OPTIONS:**  
Standard • Angled Ceiling

**24297**  
Chalk White finish with 3 White/Maple reversible blades



White




Maple




**24292**  
Brushed Chrome finish with 3 Maple/Gray reversible blades



Maple




Gray



ENERGY INFORMATION		
Airflow	<b>6,004</b>	CFM at high speed
Electricity Use	<b>69</b>	Watts at high speed
Airflow Efficiency	<b>87</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	-	-	-
B	37.26	121.08	-
C	8.71	8.71	-
D	18.92	18.92	-
E	15.75	15.75	-



FEATURES
<ul style="list-style-type: none"> <li>• Light kit adaptable</li> </ul>





# CABO FRIO

**132**

CM BLADESPAN

## OUTDOOR



WALL CONTROL

LIMITED  
LIFETIME  
MOTOR  
WARRANTY



DAMP RATED


MOTOR SIZE: 172 mm x 20 mm

2 MOUNTING OPTIONS:

Standard • Angled Ceiling




**50634**  
*Fresh White finish with  
 3 Fresh White blades*



White




**50635**  
*New Bronze finish with 3  
 Coffee Beech blades*



Coffee Beech




**50638**  
*Matte Silver finish with  
 3 Matte Black (plastic)  
 blades*



Matte Black

ENERGY INFORMATION		
Airflow	<b>5,957</b>	<i>CFM at high speed</i>
Electricity Use	<b>72</b>	<i>Watts at high speed</i>
Airflow Efficiency	<b>83</b>	<i>CFM/Watts at high speed</i>

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
<b>A</b>	32.84	116.66	-
<b>B</b>	28.12	25.22	-
<b>C</b>	8.92	8.92	-
<b>D</b>	18.01	18.01	-
<b>E</b>	15.75	15.75	-







# HUNTER ORIGINAL

**132**

CM BLADESPAN

**OUTDOOR**



PULL CHAIN

LIMITED  
LIFETIME  
MOTOR  
WARRANTY



DAMP RATED


MOTOR SIZE: 210 mm x 20 mm

**2 MOUNTING OPTIONS:**

Standard • Angled Ceiling



**50681**  
White finish with  
5 White blades




White




**22732**  
Oil for Hunter Original fans



**50685**  
Black finish with  
5 Cherry/Walnut reversible blades



Cherry



Walnut

**ENERGY INFORMATION**


Airflow **6,850** CFM at high speed

Electricity Use **74** Watts at high speed

Airflow Efficiency **93** CFM/Watts at high speed

**DIMENSIONS AND MEASUREMENT (in centimeters)**

	STANDARD	ANGLED	FLUSH
<b>A</b>	35.66	119.48	-
<b>B</b>	30.1	113.92	-
<b>C</b>	7.2	7.2	-
<b>D</b>	27.69	27.69	-
<b>E</b>	16.48	16.48	-



**FEATURES**

- 50/60 dual cycle motor
- Optional 4 or 5 blade installation
- 2 hanging system options included: original and remote compatible





# MARIBEL

**132**

CM BLADESPAN

**OUTDOOR**



PULL CHAIN

LIMITED  
LIFETIME  
MOTOR  
WARRANTY



WET RATED


MOTOR SIZE: 172 mm x 20 mm

**2 MOUNTING OPTIONS:**

Standard • Angled Ceiling




**50555**  
New Bronze finish  
with 5 Walnut (plastic)  
blades



Walnut Plastic




**50557**  
White finish with 5  
White (plastic) blades



White Plastic

ENERGY INFORMATION		
Airflow	<b>5,753</b>	CFM at high speed
Electricity Use	<b>67</b>	Watts at high speed
Airflow Efficiency	<b>86</b>	CFM/Watts at high speed

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
A	31.27	115.09	-
B	28.88	112.7	-
C	7.2	7.2	-
D	30.99	30.99	-
E	16.48	16.48	-



FEATURES
<ul style="list-style-type: none"> <li>• IP44 rating</li> <li>• Aluminium housing with stainless steel hardware</li> <li>• Light kit adaptable</li> </ul>





# OUTDOOR ELEMENTS II

**132**

CM BLADESPAN

**OUTDOOR**



PULL CHAIN

LIMITED  
LIFETIME  
MOTOR  
WARRANTY



WET RATED

MOTOR SIZE: 172 mm x 20 mm

**2 MOUNTING OPTIONS:**

Standard • Angled Ceiling




**24324**  
Weathered Brick finish  
with 5 Solid Teak blades



Solid Teak




**24326**  
White finish with 5  
White (plastic) blades



White

ENERGY INFORMATION		
Airflow	<b>6,203</b>	<i>CFM at high speed</i>
Electricity Use	<b>53</b>	<i>Watts at high speed</i>
Airflow Efficiency	<b>118</b>	<i>CFM/Watts at high speed</i>

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
<b>A</b>	35.66	119.48	-
<b>B</b>	31.45	115.27	-
<b>C</b>	9.42	9.42	-
<b>D</b>	29.21	29.21	-
<b>E</b>	16.28	16.28	-



FEATURES
• IP44 rating
• Aluminium housing with stainless steel hardware
• Light kit adaptable





# OUTDOOR ELEMENTS II

**137**  
CM BLADESPAN

## OUTDOOR



LIMITED  
LIFETIME  
MOTOR  
WARRANTY



MOTOR SIZE: 172 mm x 20 mm  
**2 MOUNTING OPTIONS:**  
Standard • Angled Ceiling






**24323**  
*New Bronze finish with 5 plastic Antique Dark Palm Leaf/Antique Dark Wicker reversible blades*



Antique Dark Palm Leaf




Antique Dark Wicker



**24325**  
*Raw Aluminum finish with 5 plastic Natural Palm Leaf/Natural Wicker reversible blades*




Natural Palm Leaf



Natural Wicker

ENERGY INFORMATION	
Airflow	<b>5,370</b> <i>CFM at high speed</i>
Electricity Use	<b>53</b> <i>Watts at high speed</i>
Airflow Efficiency	<b>102</b> <i>CFM/Watts at high speed</i>

DIMENSIONS AND MEASUREMENT (in centimeters)			
	STANDARD	ANGLED	FLUSH
<b>A</b>	35.66	119.48	-
<b>B</b>	31.45	115.27	-
<b>C</b>	9.42	9.42	-
<b>D</b>	29.21	29.21	-
<b>E</b>	16.28	16.28	-




FEATURES
• IP44 rating
• Aluminium housing with stainless steel hardware
• Light kit adaptable



240V/50HZ

# FAN SPECIFICATIONS

	<b>Bayport</b> 24170, 24174, 24179	<b>Builder Deluxe</b> 50570, 50571, 50572	<b>Builder Elite</b> 50565, 50566, 50567	<b>Builder Plus</b> 50560, 50561, 50562	<b>Cabo Frio</b> 50634, 50635, 50638	<b>Caribbean Breeze</b> 24457	<b>Carera</b> 24241, 24243, 24246	<b>Central Park</b> 50618, 50619	<b>Contempo</b> 50612, 50613	<b>Eurus</b> 50611	<b>Flight</b> 50630	<b>Galileo</b> 50620, 50621
SIZE (CM)	107	132	132	132	132	137	132	107	132	137	132	122
BLADES	4	5	5	5	3	5	3	4	5	3	3	3
INCLUDES LIGHT	No	Yes	No	Yes	No	Yes	No	Yes	Yes	Yes	No	Yes
WALL CONTROL	No	No	No	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes
CFM (HIGH)	4,137	5,296	4,845	5,296	5,957	5,092	5,674	3,604	3,938	6,402	5,553	4,380
CFM (MED)	3,615	4,298	3,933	4,298	5,957	4,155	5,078	3,321	3,537	5,460	4,728	3,878
CFM (LOW)	2,398	3,099	2,776	3,099	5,957	2,778	3,633	2,422	2,688	3,402	2,254	2,662
WATTS (HIGH)	62	65	66	65	72	69	67	48	52	65	66	46
WATTS (MED)	38	38	36	38	38	39	48	36	37	47	51	33
WATTS (LOW)	17	19	15	19	15	16	23	18	19	18	20	16
CFM/WATTS (HIGH)	66	82	74	82	83	74	85	75	76	99	84	95
CFM/WATTS (MED)	94	112	108	112	112	107	106	94	95	117	92	118
CFM/WATTS (LOW)	145	167	181	167	165	178	162	134	145	186	113	171
RPM (HIGH)	240	153	159	153	190	140	190	227	132	190	165	183
RPM (MED)	195	119	120	119	135	109	170	208	117	153	138	154
RPM (LOW)	123	79	74	79	73	66	113	144	80	86	73	102
AMPS (HIGH)	0.254	0.261	0.275	0.261	0.298	0.282	0.271	0.204	0.220	0.284	0.268	0.207
AMPS (MED)	0.202	0.204	0.206	0.204	0.219	0.214	0.233	0.177	0.186	0.244	0.311	0.176
AMPS (LOW)	0.133	0.142	0.132	0.142	0.138	0.136	0.161	0.127	0.130	0.153	0.243	0.121



	<b>Hunter Original</b> 50681, 50685	<b>Industrie II</b> 24542, 24545, 24547	<b>Kohala Bay</b> 50610	<b>Low Profile III</b> 24372, 24377	<b>Maribel</b> 50555, 50557	<b>Nova</b> 50616, 50617	<b>Outdoor Elements II</b> (132 cm) 24324, 24326	<b>Outdoor Elements II</b> (137 cm) 24323, 24325	<b>Savoy</b> 24520, 24521, 24524, 24525, 24526	<b>Seville II</b> 24034, 24037, 24038, 24039	<b>Sonic</b> 50665, 50666	<b>Tribeca</b> 24292, 24297
SIZE (CM)	132	132	122	132	132	107	132	137	132	112	132	152
BLADES	5	3	3	5	5	3	5	5	5	5	4	3
INCLUDES LIGHT	No	No	Yes	No	No	Yes	No	No	No	No	Yes	No
WALL CONTROL	No	Yes	No	No	No	Yes	No	No	No	No	Yes	Yes
CFM (HIGH)	6,850	5,241	4,521	4,247	5,753	3,731	6,203	5,370	5,090	4,574	5,709	6,004
CFM (MED)	5,139	4,430	3,781	3,615	4,762	3,447	5,243	4,557	4,349	4,041	5,183	4,783
CFM (LOW)	2,813	3,022	2,603	2,544	2,840	2,481	3,406	3,040	2,899	2,735	3,445	3,330
WATTS (HIGH)	74	66	60	66	67	47	53	53	64	63	61	69
WATTS (MED)	48	39	34	42	46	35	38	38	39	40	49	39
WATTS (LOW)	18	16	14	17	17	18	16	16	16	17	20	16
CFM/WATTS (HIGH)	93	80	76	65	86	79	118	102	80	72	94	87
CFM/WATTS (MED)	108	114	112	86	104	98	139	121	111	101	106	122
CFM/WATTS (LOW)	157	189	182	147	163	139	209	190	179	164	171	206
RPM (HIGH)	195	157	215	182	193	214	185	143	183	226	210	130
RPM (MED)	147	127	173	155	151	192	153	118	152	195	187	98
RPM (LOW)	72	79	112	96	84	135	92	72	93	123	114	60
AMPS (HIGH)	0.301	0.274	0.257	0.269	0.292	0.202	0.233	0.239	0.268	0.260	0.255	0.288
AMPS (MED)	0.252	0.214	0.198	0.217	0.246	0.174	0.200	0.203	0.215	0.211	0.229	0.219
AMPS (LOW)	0.155	0.136	0.129	0.141	0.152	0.126	0.132	0.131	0.138	0.139	0.149	0.139



# ACCESSORIES

## REMOTE & WALL CONTROLS



**99117**  
**Three-Speed Remote Control**

- 3-speed fan control
- Light dimming
- Includes 2 wall plates: square and rectangular
- Blister packaging
- Shelf-ready display



**24756**  
**RF Remote Control**

- 3-speed fan control
- Light dimming
- Low battery indicator



**24750**  
**Speedboat Remote Control**

- 3-speed fan control plus instant "off"
- Light dimming



**24757**  
**Ceiling Fan Control finish with Light**

- 3-speed fan control
- On/off light control
- 240V
- 300-watt light
- Includes 2 wall plates: square and rectangular
- Blister packaging
- Shelf-ready display



**24758**  
**Ceiling Fan Control**

- 3-speed fan control
- 240V
- 300-watt light
- Includes 2 wall plates: square and rectangular
- Blister packaging
- Shelf-ready display



# ACCESSORIES

## GLOBE ADAPTERS & GLASS



**Globe Adapter**

- 24432 - White (shown)
- 24434 - Bright Brass
- 24435 - Brushed Chrome



**Opal Schoolhouse Globe**

- 22515 - 8" Globe (shown)
- 22555 - 10" Globe
- Glass only



**Contemporary Schoolhouse Globe**

- 22565
- Glass only

# ACCESSORIES

## LIGHT KITS



**Scavo Bowl**

**24122**  
Includes finials in **Brushed Nickel, Satin Brass, White, and Bright Brass**

Two E27 sockets  
Rated at max 60-watt



**Amber Bowl**

**24125**  
Includes finials in **New Bronze, Amber Bronze, Antique Brass, and Weathered Bronze**

Two E27 sockets  
Rated at max 60-watt



**Frosted Opal Bowl**

**24126**  
Includes finials in **Brushed Nickel, Bright Brass, Antique Brass, White, and New Bronze**

Two E27 sockets  
Rated at max 60-watt



**Swirled Marble Bowl**

**24127**  
Includes finials in **Brushed Nickel, Bright Brass, Antique Brass, White, and New Bronze**

Two E27 sockets  
Rated at max 60-watt



**Wicker Bowl**

**24120 Weathered Bronze**  
Two E27 sockets  
Rated at max 60-watt



**Flight Light Kit**

**50900**  
Includes finials in **White and Brushed Nickel**  
Two E27 sockets  
Rated at max 13-watt



**Contemporary Light Kit**

**24301 Brushed Nickel (shown)**  
**24304 Graphite**  
**24307 White**  
One E27 socket  
Rated at max 60-watt



**3 Light Flush Mount**

**24310 - Antique Brass**  
**24312 - Bright Brass**  
**24316 - White**  
**24318 - Brushed Nickel**  
**24319 - New Bronze (shown)**  
Three E27 sockets  
Rated at max 60-watt



**Angra Outdoor Light Kit**

**50910 - New Bronze (shown)**  
**50911 - White**  
One E27 socket  
Rated at max 60-watt



**Outdoor Light Kit**


**24335 - New Bronze (shown)**  
**24336 - White**  
**24337 - Raw Aluminum**  
Two E27 sockets  
Rated at max 13-watt



## EXTENSION

# DOWNRODS

More homes are being constructed finish with high ceilings. A Hunter 2 cm downrod sets the fan at the proper height for optimum performance. All Hunter extension downrods match Hunter fans for fit and finish, and have tapered threads for deeper engagement.



Finish	30.5 cm	30-45 cm	45-61 cm	92 cm	122 cm	152 cm	182 cm	Compatible Finishes
Antique Brass	22719	22729	26319	26329	26339	23190	23060	Burnished Copper, Estate Brass
Antique Pewter	28054	28055	28056	28057	28058	28059	28060	Pewter Revival
Black	25144	25145	25146	25147	25148	25149	25150	Antique Black, Matte Black, Satin Black, Textured Black, Graphite, Iron
Brittany Bronze	28979	—	28980	28981	—	—	—	Weathered Bronze, Burlled Brown
Bronze Patina	28206	28207	28208	28209	28210	—	—	Amber Bronze, Antique Copper, Brushed Bronze, Satin Bronze
Brushed Nickel	26019	26020	26021	26022	26023	26024	26025	Brushed Chrome
Harvest Wheat	28976	—	28977	28978	—	—	—	Harvest Wheat
Hunter Bright Brass Finish	22713	22723	26313	26323	26333	23192	23062	—
Iron	22685	22686	22687	—	—	—	—	—
New Bronze	26041	26042	26043	26044	26045	26046	26047	Bronze, Brushed Cocoa, Leather Bronze, Provençal Gold, Roman Bronze, Rustic Bronze, Tuscan Gold, Egyptian Bronze
Provençal Gold	28224	28225	28226	28227	28228	—	—	New Bronze
Weathered Brick	22681	—	—	26010	26011	—	—	Alpha Bronze
White	25136	25137	25138	25139	25140	25141	25142	Satin White

### Outdoor Elements and Maribel - "All Weather" Downrods • Rust-proof Stainless Steel Construction

Satin White	—	—	—	25159	—	—	—	—
Textured Black	—	25162	25163	25164	—	—	—	—
Weathered Brick	26434	—	26436	26437	—	—	—	—
Raw Aluminum*	28248	28249	28250	28251	—	—	—	—

### Hunter Original® Downrods • Double-Threaded Construction

Black	26302	26219	26227	26228	26229	23194	23064	—
Chestnut Brown	22711	22721	26331	26341	26351	23195	23065	Distressed Relic, Chestnut Bronze, Weathered Brick
New Bronze All-Weather	25998	25999	26007	26008	—	—	—	Midnight Copper, Weathered Brick, Weathered Bronze
Satin White All-Weather	28254	28255	28256	28257	28258	—	—	—
Textured Black All-Weather	26430	26431	26432	26433	—	—	—	—
White	22717	22727	26317	26327	26337	23197	23067	—

### Vaulted Ceiling Mounts - For up to 45° angle mount

Colors	Chestnut Brown	Hunter Bright Brass Finish	Black	Brushed Nickel	White	Antique Brass	Antique Pewter	New Bronze
Item number	22170	22172	22174	22175	22176	22178	27995	27996

*Hunter*  
SINCE 1886

**Hunter Fan Company**

7130 Goodlett Farms Parkway, Suite 400

Memphis, TN 38016 USA

+1.901.744.1200

[www.hunterfan.com](http://www.hunterfan.com)