



Westinghouse

# Ceiling Fan Catalogue 2013



# Contents



**Westinghouse – Solutions you can count on** ..... 2

**Ceiling Fan for every room (Select the right size)**..... 4

**Summer and Winter Operation of a Ceiling Fan**..... 6

## Ceiling Fans

### Premium

Solana ..... 9  
Lenerco ..... 10-11

### Modern

Jet I .....13  
Jet Plus .....13  
Havanna .....14  
Trigona.....14  
Celestia.....15  
Celestia II.....15  
Bendan Models .....16  
Sydney Models .....17  
Cumulus .....18  
Wave Form.....19  
Arius .....19  
Flora Royal .....20  
Audubon .....20  
Airplane Models .....21  
Helix Fusion .....22  
Hercules .....22  
Wengue.....23  
Alloy.....23

### Classic

Cyclone .....25  
Kingston.....25  
Pearl .....26  
Princess Euro .....26  
Comet Models .....27

### Traditional

Monarch Trio .....29  
Comet Tiffany.....29  
Jasmine .....30  
Princess Radiance .....30  
Everett.....31  
Princess Trio Models .....32

### Basic

Vegas Models .....34  
Portland Ambiance .....35  
Turbo Swirl .....36  
Hayden.....36  
Turbo II .....37

### Industrial

Industrial Models .....39-41

### Accessories for Ceiling Fans

Downrods .....42  
Remote & Wall Controls .....43

**Ceiling Fan Specifications**.....44

**Index**.....48

# Solutions you can count on



Westinghouse

## Solutions you can count on

As a leader in the ceiling fan industry, Westinghouse is dedicated to making comfort and convenience a priority in the products we develop. To meet the specific demands of today's global marketplace, we offer contemporary and traditional product designs that have resilience and character. Whether you are looking for fashion-forward designs or reliable quality products, we have your solutions right here.

Since 125 years, people all over the world have trusted Westinghouse to provide high-quality, reliable products for their homes and businesses. We continue that tradition today with our extensive assortment of ceiling fans.

Customers in 128 countries choose Westinghouse for quality products and dependable customer service.



## Westinghouse – A trusted brand since 125 years!

George Westinghouse was a renowned inventor long before his name became a brand. He is the most productive inventor on record, credited with over 361 patents – many of them “firsts” that changed the way the world lives.

George Westinghouse’s spirit of innovation and commitment to improving quality of life is alive and flourishing at Westinghouse. Our solutions are as effortless as redesigning a store display to make products easier to find, or as revolutionary as reconfiguring the design of a ceiling fan to make it simpler and safer to install.

Westinghouse ceiling fans are engineered and tested to meet or exceed high-quality standards to light your home, office or business.

Our ceiling fans reveal the essence of today’s lifestyle trends. While you enjoy our newest editions, we’re already busy planning for the future by exploring innovative options and new technologies that maximize form and function.

**BRAND**

**QUALITY**

**DESIGN  
&  
COMFORT**

**SERVICE**



# Ceiling fans for every room



## Low ceilings

Install a hugger ceiling fan or ceiling fans without a down rod in rooms with low ceilings.



## Standard ceilings

Install ceiling fans with or without a down rod in rooms with standard ceilings. See page 42 to view our full assortment of extension down rods.

### SELECTING THE RIGHT SIZE CEILING FAN FOR EVERY ROOM IN YOUR HOME

**Maximize air flow by installing an appropriately sized ceiling fan for your room:**

For rooms up to:	12 qm	Use 30" - 36" ceiling fans.
For rooms up to:	15 qm	Use 42" ceiling fans.
For rooms up to:	20 qm	Use 44" - 48" ceiling fans.
For rooms up to:	25 - 30 qm	Use 52" ceiling fans and larger.
For rooms bigger than:	30 qm	The use of more than one ceiling fan is recommended.

Room size and ceiling height are important issues when selecting your ceiling fan. Be sure to choose a ceiling fan that best suits your home.



## High ceilings

Install ceiling fans with extension down rods in rooms with high and sloped ceilings.



## Sloped ceilings

See page 42 for a full assortment of extension down rods.

Fashionable, high quality ceiling fans and light kits add comfort, color, and complementary style to any room. A trusted name for over 120 years, Westinghouse guarantees the construction of its ceiling fan motors with 10 year warranty. You can be sure if it's Westinghouse.

# Summer & Winter Operation of a Ceiling Fan

SUMMER & WINTER



Ceiling area:  
30°C → 25°C

You want a pleasant room climate?

Center of the room:  
29°C → 25°C

Use a Westinghouse ceiling fan in your home, which creates a cool climate and temperature during summertime!

Bottom room area:  
28°C → 25°C

## Summer Operation

For year-round comfort and maximum energy savings, Westinghouse ceiling fans include a reversible switch that allows the ceiling fans to be used during cool or warm weather.

In the summer, keep your home cool by running your ceiling fan counterclockwise.



# Year- Round Comfort & Efficiency



Ceiling area:  
26°C → 24°C

Keep your home warm  
in the winter & save  
energy!

Center of the room:  
24°C → 25°C

The ceiling fan creates a  
warm and pleasant room  
climate in your home  
which saves up to  
30% energy costs.

Bottom room area:  
22°C → 24°C

## Winter Operation

In the winter, run your ceiling fan clockwise to re-circulate warm air from the ceiling, eliminating cold spots and drafts.






Unique in beauty and design, our Premium ceiling fans combine high fashion with high quality.

# Premium





PREMIUM



## Solana

**72161**  
**48"/122 cm**  
Brushed nickel fan finish  
Wengue blades  
Single light fixture with opal frosted glass  
2 x 40 W, E 14 (not included)  
Includes remote control and reverse switch





## Lenerco

**72599**  
**52"/132 cm**  
*Energy Saving Ceiling Fan*  
*Chrome Finish*  
*Silver/graphite blades*  
*2 x 13 W, E 27, CFL (not included)*  
*Includes remote control*  
*and reverse switch*




- 65% less Energy Consumption
- Longlasting Product Lifetime
- Higher Speed Effort
- 6 Speed Options
- Virtually Silent & steady RPM
- Smaller Fan Designs

## What is your advantage of a DC-Motor ceiling fan?

The Lenerco Fan Motor reduces more than 65% energy consumption compared to a standard AC Fan Motor. On low speed, the energy consumption is similar to a 4 Watt LED light bulb.

Long-lasting DC motor fans utilize a brushless motor and are able to reach the same RPM as an AC fan but with lower energy consumption (lower wattage). The Lenerco DC motor fan offer a higher torque due to the larger diameter of the inside magnetic field. The compact motor allows for a smaller fan design that meets a wide variety of room applications. Smaller fans are more versatile and meet the needs of today's home owner.





The exquisitely executed sleek designs of our Modern collection capture the essence of today's lifestyle trends through cool colour tones, chic finishes, and elegant styles.

## Modern





## Jet I

72289

42"/105 cm

Brushed nickel fan finish

Wengue/silver blades

Remote/Wall control adaptable

Including reverse switch



## Jet Plus

72290

42"/105 cm

Brushed nickel fan finish

Wengue/silver blades

3 Spot light fixture

3 x 40 W, E14 R50 (not included)

Includes remote control and reverse switch





# Havanna



**72546**  
**52"/132 cm**  
Brushed aluminum fan finish  
Silver/graphite blades  
Single disc light fixture with  
opal frosted glass  
1 x 80 W, R7s (included)  
Includes remote control and  
reverse switch



# Trigona



**72528**  
**48"/122 cm**  
Silver/black fan finish  
Silver/black blades  
Single drum light fixture  
2 x 11W, E 27, CFL 3U type (included)  
Includes remote control and  
reverse switch



## Celestia



**72530**

**44"/112 cm**

*Chrome fan finish*

*Wengue blades*

*2 x 11W, E 27, CFL 3U type (included)*

*Not adaptable for downrods*

*Includes remote control and  
reverse switch*

## Celestia II



**72505**

**48"/122 cm**

*Brushed aluminum fan finish*

*Graphite blades*

*Single light fixture with opal frosted glass*

*2 x 11W, E 27, CFL (not included)*

*Not adaptable for downrods*

*Includes remote control and  
reverse switch*

## Bendan

72557  
52"/132 cm

Satin chrome fan finish  
Wengue blades  
Single disc light fixture  
1 x 80 W, R7s (included)  
Includes remote control and  
reverse switch

## Bendan

72564  
52"/132 cm

Dark pewter fan finish  
Applewood blades  
Single disc light fixture  
1 x 80 W, R7s (included)  
Includes remote control and  
reverse switch

## Bendan

72220  
52"/132 cm

Satin Chrome fan finish  
Silver blades  
1 x 80 W, R7s (included)  
Includes remote control and  
reverse switch



# Sydney



**78997**

**44"/112 cm**

*Oil-rubbed bronze fan finish*

*Wengue/mahogany blades*

*Remote or wall control adaptable*

*Not adaptable for downrods*

*Including reverse switch*



# Sydney



**78998**

**44"/112 cm**

*Brushed nickel fan finish*

*Applewood/light maple blades*

*Remote or wall control adaptable*

*Not adaptable for downrods*

*Including reverse switch*





## Cumulus



**72598**  
**48"/122 cm**  
White fan finish  
White/white washed pine blades  
1 x 80 W, R7s (included)  
Includes remote control and  
reverse switch

## Wave Form

**78155**

**52"/132 cm**

*Titanium fan finish*

*Titanium ABS blades*

*Single light fixture with opal frosted glass*

*1 x 80 W, R7s (included)*

*Not adaptable for downrods*

*Includes remote control and  
reverse switch*



**72559**

**52"/132 cm**

*Chrome fan finish*

*White/black blades*

*5 Light fixture with opal frosted glass*

*5 x 9W, E 14, CFL 3U type (not included)*

*Includes remote control and  
reverse switch*

## Arius







**78788**  
**30"/76 cm**  
*Satin chrome fan finish*  
*Silver/white blades*  
*Single light fixture with opal frosted glass*  
*1 x 60 W, E 27 (not included)*  
*Remote/Wall control adaptable*  
*Including reverse switch*

## Flora Royal

## Audubon



**78525**  
**48"/122 cm**  
*Brushed nickel fan finish*  
*Weathered maple/silver blades*  
*3 spotlight fixture*  
*3 x 50 W, GU10 (included)*  
*Remote/Wall control adaptable*  
*Including reverse switch*

**78174**  
**42"/105 cm**  
*Silver fan finish*  
*Silver blades*  
*Remote/Wall control adaptable*  
*Including reverse switch*



## *Airplane*



## *Airplane II*

**78655**  
**42"/105 cm**  
*Brushed nickel fan finish*  
*Weathered maple/beech blades*  
*Single light fixture*  
*1 x 33W, G9 lamp (included)*  
*Remote/Wall control adaptable*  
*Including reverse switch*





## Helix Fusion

**78753**  
**52"/132 cm**  
Chrome fan finish  
White/black blades  
4 x 33W, G9 (included)  
Remote/Wall control adaptable  
Including reverse switch



## Hercules

**78545**  
**52"/132 cm**  
Brushed nickel fan finish  
Weathered maple/beech blades  
Single disc light fixture  
1 x 80 W, R7s (included)  
Remote/Wall control adaptable  
Including reverse switch

## Wengue

**78763**  
**30"/76 cm**  
Chrome fan finish  
Wengue/beech blades  
Single light fixture with opal frosted glass  
1 x 80 W, R7s (included)  
Remote/Wall control adaptable  
Including reverse switch



MODERN

**78764**  
**42"/105 cm**  
Gun metal fan finish  
Black/graphite blades  
Single light fixture with opal frosted glass  
1 x 80 W, R7s (included)  
Remote/Wall control adaptable  
Including reverse switch

## Alloy







Featuring soft and simple colours, the Westinghouse Classic style category represents timeless elegance.

## Classic



## Cyclone



**78370**

**52"/132 cm**

*Brushed steel fan finish  
Black/Black blades with silver stripes  
Remote/Wall control adaptable  
Including reverse switch*

## Kingston



**78065**

**42"/105 cm**

*Brushed aluminum fan finish  
Weathered maple/silver blades  
3 spotlight fixture  
3 x 50 W, GU10 (included)  
Remote/Wall control adaptable  
Including reverse switch*

# Pearl

**78425**

**42"/105 cm**

*Stainless steel fan finish*

*Light maple/white blades*

*3 Spotlight fixture*

*3 x 50 W, GU10 (included)*

*Remote/Wall control adaptable*

*Including reverse switch*



# Princess Euro

**78622**

**42"/105 cm**

*Dark pewter/chrome fan finish*

*Silver/graphite blades*

*3 Spotlight fixture*

*3 x 50 W, GU10 (included)*

*Remote/Wall control adaptable*

*Including reverse switch*



## Comet



**78182**

**52"/132 cm**

*Titanium fan finish*

*Light maple/white blades*

*Disc light fixture with opal frosted glass*

*2 x 40 W, E 14 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*

## Comet



**78017**

**52"/132 cm**

*White fan finish*

*White/Beech blades*

*Disc light fixture with frosted glass*

*2 x 40 W, E 14 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*





Inspired by Baroque architecture and furnishings, traditionally designed ceiling fans are characterized by distinctive details, antique accents, and rich colours, which are still popular today.

## Traditional





## Monarch Trio

**78171**  
**52"/132 cm**

*Polished brass fan finish  
Oak cane/mahogany blades  
3 Light fixture with frosted glass  
3 x 60 W, E 14 (not included)  
Remote/Wall control adaptable  
Including reverse switch*

TRADITIONAL



**72485**  
**52"/132 cm**

*Espresso fan finish  
Wengue/dark cherry blades  
Single light fixture with Tiffany bowl  
3 x 60 W, E 14 (not included)  
Remote/Wall control adaptable  
No downrods available  
Including reverse switch*

## Comet Tiffany

## Jasmine



**72368**

**42"/105 cm**

*Dark pewter/chrome fan finish*

*Weathered maple blades*

*Single light fixture with mushroom glass*

*1 x 60 W, E 27 (not included)*

*Includes remote control and*

*reverse switch*

## Princess Radiance II



**72415**

**36"/90 cm**

*Dark pewter/chrome fan finish*

*Wengue/white blades*

*Single light fixture with dome glass*

*1 x 60 W, E 27 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*







TRADITIONAL

## Everett

**72154**

**52"/132 cm**

*Espresso fan finish*

*Espresso/applewood blades*

*Single light fixture with scavo glass bowl*

*2 x 60 W, E 27, A type (not included)*

*Pull chain or wall control adaptable*

*Including reverse switch*

## Princess Trio



**78199**  
**42"/105 cm**

*Polished brass fan finish  
Oak cane/mahogany blades  
3 Light fixture with frosted glass  
3 x 60 W, E 14 (not included)  
Remote/Wall control adaptable  
Including reverse switch*



## Princess Trio



**78324**  
**42"/105 cm**

*White & polished brass fan finish  
White cane/white blades  
3 Light fixture with frosted glass  
3 x 60 W, E 14 (not included)  
Remote/Wall control adaptable  
Including reverse switch*







Simplicity defines our Basic fan selection. Neutral colours and uncomplicated designs allow these ceiling fans to complement any room and style.

## Basic





# Vegas



**72185**

**42"/105 cm**

*White fan finish*

*White/White washed pine blades*

*Single light fixture with opal glass*

*1 x 60 W E 27 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*



# Vegas



**72272**

**42"/105 cm**

*Brushed aluminum fan finish*


*Light maple/silver blades*

*Single light fixture with opal glass*

*1 x 60 W, E 27 (not included)*

*Remote/Wall control adaptable*

*Including reverse switch*





## Portland Ambiance

**78321**  
**36"/90 cm**

*Chrome fan finish  
White/black blades  
Single light fixture with mushroom glass  
1 x 60 W, E 27 (not included)  
Remote/Wall control adaptable  
Including reverse switch*



## Turbo Swirl



**78158**  
**30"/76 cm**  
*Titanium fan finish*  
*Light maple blades*  
*Single opal frosted disc light fixture*  
*1 x 60 W, E 14 (not included)*  
*Remote/Wall control adaptable*  
*Including reverse switch*

## Hayden



**78784**  
**30"/76 cm**  
*Chrome fan finish*  
*Beech/Wengue (MDF) Blades*  
*1 x 60 W, E 27 (not included)*  
*Remote/Wall control adaptable*  
*Including reverse switch*



## Turbo II



BASIC

**78673**

**30"/76 cm**

White fan finish

One blade set in multi colour


pastell colours, the other set

in white/washed pine

1 x 60 W, E 14 (not included)

Remote/Wall control adaptable

Including reverse switch







Commercial environments need durable, reliable ceiling fans. Our fans have the quality you want and expect from an international brand.

# Industrial



# Industrial

**72268**

**56"/142 cm**

*White fan finish*

*White (steel) blades*

*Includes wall control and reverse switch*



**78337**

**48"/122 cm**

*White fan finish*

*White (steel) blades*

*Remote/Wall control adaptable*

*Including reverse switch*

# Industrial



## *Industrial*

**78263**  
**48"/122 cm**  
*Chrome fan finish*  
*Chrome (steel) blades*  
*Remote/Wall control adaptable*  
*Including reverse switch*



## Industrial



**78623**  
**56"/142 cm**  
*Espresso fan finish*  
*Espresso (steel) blades*  
*Includes wall control and reverse switch*


## Industrial




**72501**  
**56"/142 cm**  
*Silver fan finish*  
*Silver (steel) blades*  
*Includes wall control and reverse switch*



# Down rods



Dark Pewter



Brushed Nickel




Satin Chrome




Titanium



Polished Brass




Brushed Aluminium



Chrome



Satin Brass



Antique Brass



White



Silver

For optimum performance, ceiling fan blades should be at least 7' / 2.4 m from the floor but no higher than 8-9' / 2.8 m in order to best cool a room.

For ceilings 9' and higher, an extension down rod is required to bring the ceiling fan down to the proper height above the floor.

Finish	Length	Item
Brushed aluminum	30,5 cm/12"	78867
Brushed aluminum	46 cm//18"	78868
Antique brass	30,5 cm/12"	78864
Antique brass	46 cm//18"	78865
Brushed nickel	30,5 cm/12"	65649
Brushed nickel	46 cm//18"	65650
Chrome	30,5 cm/12"	78885
Chrome	46 cm//18"	78886
Dark-pewter	30,5 cm/12"	65763
Dark-pewter	46 cm//18"	65764
Polished brass	30,5 cm/12"	78882
Polished brass	46 cm//18"	78883
Satin brass	30,5 cm/12"	78888
Satin brass	46 cm//18"	78889
Satin chrome	30,5 cm/12"	65646
Satin chrome	46 cm//18"	65647
Silver	30,5 cm/12"	65643
Silver	46 cm//18"	65644
Titanium	30,5 cm/12"	78870
Titanium	46 cm//18"	78871
White	30,5 cm/12"	78876
White	46 cm//18"	78877

# Remote & Wall Controls



**78792 (Display box with 8 pieces)**  
**78095 (Single)**

### Infra-Red Remote Control

- Suitable for use with all Westinghouse ceiling fans (except Hugger style)
- 3-speed and off control for fan
- On/off control for light
- With light dimmer



**72266 (Display box with 8 pieces)**  
**Radio Frequency Remote Control**

- Suitable for use with all Westinghouse ceiling fans (except Hugger style)
- 3-speed and off control for fan
- On/off control for light
- With light dimmer

**78801**  
**Wall Control**

- Suitable for use with all Westinghouse ceiling fans
- 4-Speed and off control for fan
- On/off control for light



**78800**  
**Wall Control**

- Suitable for use with all Westinghouse ceiling fans
- 4-Speed and off control for fan




# Ceiling Fan Specifications

## Option

Model	Name	Diameter/Size	Fan Control	Remote Control	Wall Control	Winter Operation	Blade Pitch	Motor Size	Wattage
72154	Everett	52"/132 cm	Pull Chain	/	X	X	11°	153 x 15 mm	60/46/39
72161	Solana	48"/122 cm	Remote Control Included	X	X	X	12°	153 x 17 mm	47.1/32.2/13.6
72185	Vegas	42"/105 cm	Pull Chain	X	X	X	11°	153 x 9 mm	47.4/39.6/37
72220	Bendan	52"/132 cm	Remote Control Included	X	X	X	12°	153 x 15 mm	60/35/20
72268	Industrial	56"/142 cm	Wall Control Included	X	X	X	8°	172 x 12 mm	63/40/23/10
72272	Vegas	42"/105 cm	Pull Chain	X	X	X	11°	153 x 9 mm	47.4/39.6/37
72289	Jet I	42"/105 cm	Pull Chain	X	X	X	14°	153 x 12 mm	47.4/33.8/30.0
72290	Jet Plus	42"/105 cm	Remote Control Included	X	X	X	14°	153 x 12 mm	40/34/32
72368	Jasmine	42"/105 cm	Remote Control Included	X	X	X	12°	153 x 12 mm	54/22/10
72415	Princess Radiance II	36"/90 cm	Pull Chain	X	X	X	18°	153 x 12 mm	43.5/36.2/33.8
72485	Comet Tiffany	52"/132 cm	Pull Chain	X	X	X	12°	153 x 15 mm	63/42/28
72501	Industrial	56"/142 cm	Wall Control Included	X	X	X	8,5°	153 x 17 mm	61.8/51.1/26.6/11.0
72505	Celestia II	48"/122 cm	Remote Control Included	X	X	X	12°	153 x 15 mm	50.2/25.6/12
72528	Trigona	48"/122 cm	Remote Control Included	X	X	X	12°	153 x 15 mm	55/34/20
72530	Celestia	44"/112 cm	Remote Control Included	X	/	X	12°	153 x 12 mm	51/33/19
72546	Havanna	52"/132 cm	Remote Control Included	X	X	X	12°	153 x 15 mm	45/20/8
72557	Bendan	52"/132 cm	Remote Control Included	X	X	X	12°	153 x 15 mm	60/35/20
72559	Arius	52"/132 cm	Remote Control Included	X	X	X	12°	153 x 15 mm	59/35/20
72564	Bendan	52"/132 cm	Remote Control Included	X	X	X	12°	153 x 15 mm	60/35/20
72598	Cumulus	48"/122 cm	Remote Control Included	X	X	X	12°	153 x 15 mm	49.1/26.3/13.5
72599	Lenerco	52"/132 cm	Remote Control Included	X	X	X	13°	125S DC motor	4/5.7/9.6/15.5/25.4/34
78017	Comet	52"/132 cm	Pull Chain	X	X	X	11°	153 x 15 mm	58/40/26
78065	Kingston	42"/105 cm	Pull Chain	X	X	X	12°	153 x 12 mm	55/35/26
78155	Wave Form	52"/132 cm	Remote Control Included	X	X	X	13°	153 x 20 mm	45.6/23.7/10.2
78158	Turbo Swirl	30"/76 cm	Pull Chain	X	X	X	18°	153 x 12 mm	53/37/26
78171	Monarch Trio	52"/132 cm	Pull Chain	X	X	X	11°	153 x 15 mm	58/40/26
78174	Airplane	42"/105 cm	Pull Chain	X	X	X	12°	153 x 12 mm	48/34/24

\* The installation of a remote control or wall control is possible. The mounting of both devices at the same time is not possible.





- A Ceiling to bottom of blade
- B Ceiling to bottom of switch housing
- C Ceiling to bottom of canopy
- D Width of motor housing
- E Width of canopy
- F Ceiling to bottom of light kit


All dimensions in cm

	RPM	Amps	Net Weight	Installation	12"(30,5 cm)/18" (46 cm) downrod possible?	A	B	C	D	E	F
	173/135/85	0.258/0.208/0.227	5,3 kg	***Hugger	No	20	18	/	29	/	32
	225/181/105	0.26/0.29/0.25	7,0 kg	**Downrod only	No	30	28	5	19	16	36
	210/162/110	0.208/0.184/0.191	4,5 kg	*Dual Mountsystem	Yes	26	32	6	17	13	42
	175/124/80	0.286/0.289/0.257	7,6 kg	**Downrod only	Yes	26	31	6	26	13	38
	250/210/150/90	0.28/0.22/0.17/0.11	6,3 kg	**Downrod only	Yes	35	/	6	20	13	38
	210/162/110	0.208/0.184/0.191	4,5 kg	*Dual Mountsystem	Yes	26	32	6	17	13	42
	218/158/110	0.214/0.149/0.150	4,8 kg	**Downrod only	Yes	18	29	6	17	13	/
	280/230/185	0.18/0.15/0.16	6,4 kg	**Downrod only	Yes	18	29	6	17	13	37
	240/180/120	0.24/0.26/0.22	6,4 kg	**Downrod only	Yes	30	31	6	22	13	42
	235/175/125	0.19/0.16/0.18	5,3 kg	*Dual Mountsystem	Yes	22	32	6	17	13	44
	160/110/65	0.28/0.18/0.12	5,7 kg	*Dual Mountsystem	Yes	31	27	6	29	15	38
	213/192/138/91	0.29/0.26/0.19/0.13	7,3 kg	**Downrod only	Yes	44	50	6	19	13	/
	231/149/90	0.399/0.365/0.303	8,0 kg	***Hugger	No	24	28	12	25	15	35
	230/157/76	0.25/0.16/0.10	7,5 kg	**Downrod only	Yes	29	35	6	22	13	38
	225/150/65	0.23/0.15/0.10	7,2 kg	**Downrod only	No	23	27	12	25	15	35
	165/120/70	0.21/0.23/0.18	8,5 kg	**Downrod only	Yes	27	30	6	25	13	34
	175/124/80	0.286/0.289/0.257	7,6 kg	**Downrod only	Yes	26	31	6	26	13	38
	178/110/51	0.24/0.18/0.01	9,5 kg	*Dual Mountsystem	No	27	33	6	28	13	42
	175/124/80	0.286/0.289/0.257	7,6 kg	**Downrod only	Yes	26	31	6	26	13	38
	195/145/90	0.21/0.15/0.11	9,2 kg	**Downrod only	No	43	49	7	19	13	54
	51/83/115/ 146/179/199	0.04/0.055/0.08/0.112/ 0.187/0.269/0.028	9,0 kg	**Downrod only	No	28	32	5	20	15	41
	180/130/80	0.25/0.18/0.12	8,0 kg	*Dual Mountsystem	Yes	31	/	6	29	15	38
	230/168/110	0.23/0.16/0.11	6,2 kg	*Dual Mountsystem	Yes	33	31	6	24	13	38
	195/135/81	0.2/0.14/0.1	8,6 kg	**Downrod only	No	29	/	6	25	15	36
	250/190/130	0.23/0.16/0.11	5,7 kg	*Dual Mountsystem	Yes	19	28	6	17	13	38
	175/120/75	0.25/0.18/0.12	6,5 kg	*Dual Mountsystem	Yes	25	38	6	25	13	40
	250/200/150	0.21/0.15/0.11	4,2 kg	*Dual Mountsystem	Yes	25	38	6	25	13	40


# Ceiling Fan Specifications

Model	Name	Diameter/Size	Fan Control	Remote Control	Wall Control	Winter Operation	Blade Pitch	Motor Size	Wattage
78182	Comet	52"/132 cm	Pull Chain	X	X	X	11°	153 x 15 mm	58/40/26
78199	Princess Trio	42"/105 cm	Pull Chain	X	X	X	11°	153 x 10 mm	45/32/23
78263	Industrial	48"/122 cm	Pull Chain	X	X	X	11°	172 x 10 mm	55/35/23
78321	Portland Ambiance	36"/90 cm	Pull Chain	X	X	X	11°	153 x 10 mm	44/30/21
78324	Princess Trio	42"/105 cm	Pull Chain	X	X	X	12°	153 x 12 mm	45/32/23
78337	Industrial	48"/122 cm	Pull Chain	X	X	X	11°	172 x 10 mm	52/35/25
78370	Cyclone	52"/132 cm	Pull Chain	X	X	X	12°	153 x 15 mm	58/40/26
78425	Pearl	42"/105 cm	Pull Chain	X	X	X	12°	153 x 12 mm	55/35/26
78525	Audubon	48"/122 cm	Pull Chain	X	X	X	12°	153 x 15 mm	52/35/25
78545	Hercules	52"/132 cm	Pull Chain	X	X	X	12°	153 x 15 mm	60/41/28
78622	Princess Euro	42"/105 cm	Pull Chain	X	X	X	11°	153 x 10 mm	43/30/28
78623	Industrial	56"/142 cm	Wall Control Included	X	X	X	8,5°	153 x 17 mm	61.8/51.1/26.6/11.0
78655	Airplane II	42"/105 cm	Pull Chain	X	X	X	11°	153 x 12 mm	43/30/26
78673	Turbo II	30"/76 cm	Pull Chain	X	X	X	18°	153 x 12 mm	53/37/26
78753	Helix Fusion	52"/132 cm	Pull Chain	X	X	X	12°	153 x 15 mm	58/40/26
78763	Wengue	30"/76 cm	Pull Chain	X	X	X	18°	153 x 10 mm	40/34/32
78764	Alloy	42"/105 cm	Pull Chain	X	X	X	14°	153 x 12 mm	47.4/33.8/30.0
78784	Hayden	30"/76 cm	Pull Chain	X	X	X	18°	153 x 10 mm	40/34/32
78788	Flora Royal	30"/76 cm	Pull Chain	X	X	X	18°	153 x 12 mm	54/38/27
78997	Sydney	44"/112 cm	Pull Chain	X	X	X	13°	153 x 10 mm	42.6/21.3/8.1
78998	Sydney	44"/112 cm	Pull Chain	X	X	X	13°	153 x 10 mm	42.6/21.3/8.1

\* The installation of a remote control or wall control is possible. The mounting of both devices at the same time is not possible.



All models run summer and winter switch.



- A Ceiling to bottom of blade
- B Ceiling to bottom of switch housing
- C Ceiling to bottom of canopy
- D Width of motor housing
- E Width of canopy
- F Ceiling to bottom of light kit

All dimensions in cm

	RPM	Amps	Net Weight	Installation	12"(30,5 cm)/18" (46 cm) downrod possible?	A	B	C	D	E	F
	180/130/80	0.25/0.18/0.12	8,0 kg	*Dual Mountsystem	Yes	31	/	6	29	15	38
	210/145/85	0.2/0.14/0.1	4,8 kg	*Dual Mountsystem	Yes	23	32	6	17	13	46
	260/195/135	0.23/0.19/0.18	5,5 kg	**Downrod only	Yes	25	36	6	20	13	/
	250/190/110	0.19/0.12/0.1	4,3 kg	**Downrod only	Yes	15	30	6	15	13	43
	210/145/85	0.2/0.14/0.1	5,0 kg	*Dual Mountsystem	Yes	23	32	6	17	13	46
	240/165/115	0.23/0.19/0.18	5,5 kg	**Downrod only	Yes	25	37	6	20	13	/
	180/130/80	0.25/0.18/0.12	6,3 kg	*Dual Mountsystem	Yes	29	34	6	28	13	/
	235/170/110	0.23/0.15/0.11	4,9 kg	*Dual Mountsystem	Yes	28	30	6	19	13	38
	240/165/115	0.26/0.18/0.12	6,0 kg	*Dual Mountsystem	Yes	29	30	6	22	13	39
	170/125/75	0.26/0.18/0.12	8,1 kg	*Dual Mountsystem	Yes	34	/	6	27	13	41
	220/150/85	0.2/0.14/0.1	5,0 kg	*Dual Mountsystem	Yes	26	31	6	17	13	40
	213/192/138/91	0.29/0.26/0.19/0.13	7,3 kg	**Downrod only	Yes	44	50	6	19	13	/
	200/145/85	0.19/0.13/0.09	5,2 kg	*Dual Mountsystem	Yes	28	34	6	25	13	41
	250/190/130	0.23/0.16/0.11	6,5 kg	*Dual Mountsystem	Yes	19	28	6	17	13	38
	175/125/80	0.25/0.18/0.12	7,7 kg	*Dual Mountsystem	Yes	26	30	6	27	13	44
	280/230/185	0.18/0.15/0.16	5,45 kg	**Downrod only	Yes	23	26	6	17	13	31
	218/158/110	0.214/0.149/0.150	6,5 kg	**Downrod only	Yes	18	28	6	17	13	30
	280/230/185	0.18/0.15/0.16	4,4 kg	**Downrod only	Yes	23	26	6	17	13	29
	240/180/120	0.23/0.17/0.12	5,3 kg	*Dual Mountsystem	Yes	22	/	6	17	13	38
	210/162/93	0.19/0.13/0.08	7,1 kg	*Dual Mountsystem	No	29	33	6	17	13	/
	210/162/93	0.19/0.13/0.08	7,1 kg	*Dual Mountsystem	No	29	33	6	17	13	/

**\*Dual Mount System:**

These versatile ceiling fans may be installed with or without the extension down rods which are included in the packaging. This flexibility allows you to install the fan either close to the ceiling or at a lower level in rooms with higher ceilings.

**\*\* Downrod only:**

Down rod ceiling fans must be installed with the down rod which is included in the packaging. You may replace the down rod with ones featuring a length between 12"/30,5 cm or 18"/46 cm. The option for a 12" or 18" downrod installation varies for each model!

**\*\*\*Hugger:**

Specially designed for rooms with lower ceilings, hugger fans can not be installed with a down rod.



# Index

## Ceiling Fans

72154	Everett	31
72161	Solana	9
72185	Vegas	34
72220	Bendan	16
72268	Industrial	39
72272	Vegas	34
72289	Jet I	13
72290	Jet Plus	13
72368	Jasmine	30
72415	Princess Radiance II	30
72485	Comet Tiffany	29
72501	Industrial	41
72505	Celestia II	15
72528	Trigona	14
72530	Celestia	15
72546	Havanna	14
72557	Bendan	16
72559	Arius	19
72564	Bendan	16
72598	Cumulus	18
72599	Lenerco	10
78017	Comet	27
78065	Kingston	25
78155	Wave Form	19
78158	Turbo Swirl	36
78171	Monarch Trio	29
78174	Airplane	21
78182	Comet	27
78199	Princess Trio	32
78263	Industrial	40
78321	Portland Ambiance	35
78324	Princess Trio	32
78337	Industrial	39
78370	Cyclone	25
78425	Pearl	26
78525	Audubon	20
78545	Hercules	22
78622	Princess Euro	26
78623	Industrial	41
78655	Airplane II	21
78673	Turbo II	37
78753	Helix Fusion	22
78763	Wengue	23
78764	Alloy	23
78784	Hayden	36
78788	Flora Royal	20
78997	Sydney	17
78998	Sydney	17

## Ceiling Fan Accessories

### Extension Downrods

65643	Silver; 30,5 cm/12"	42
65644	Silver; 46 cm/18"	42
65646	Satin chrome; 30,5 cm/12"	42
65647	Satin chrome; 46 cm/18"	42
65649	Brushed nickel; 30,5 cm/12"	42
65650	Brushed nickel; 46 cm/18"	42
65763	Dark pewter; 30,5 cm/12"	42
65764	Dark pewter; 46 cm/18"	42
78864	Antique brass; 30,5 cm/12"	42
78865	Antique brass; 46 cm/18"	42
78867	Brushed aluminum; 30,5 cm/12"	42
78868	Brushed aluminum; 46 cm/18"	42
78870	Titanium; 30,5 cm/12"	42
78871	Titanium; 46 cm/18"	42
78876	White; 30,5 cm/12"	42
78877	White; 46 cm/18"	42
78882	Polished brass; 30,5 cm/12"	42
78883	Polished brass; 46 cm/18"	42
78885	Chrome; 30,5 cm/12"	42
78886	Chrome; 46 cm/18"	42
78888	Satin brass; 30,5 cm/12"	42
78889	Satin brass; 46 cm/18"	42

### Remote and Wall Controls

72266	Radiofrequency-Remote Control	43
78095	Infrared-Remote Control	43
78792	Infrared-Remote Control	43
78800	Wall Control	43
78801	Wall Control (incl. light switch)	43



# Westinghouse

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee  
Krefelder Strasse 562, D-41066 Mönchengladbach, Germany  
Tel.: (0049)-(0)-2161-57307-0

International Headquarters  
12401 McNulty Road, Philadelphia, Pennsylvania U.S.A. 19154-1029  
Tel. - (215) 671-2000, Fax. - (215) 671-2057  
[www.westinghouselighting.com](http://www.westinghouselighting.com)

---

Westinghouse Lighting Corporation, a Westinghouse Electric Corporation licensee  
 Westinghouse™ and “You can be sure...if it’s Westinghouse” are all registered trademarks of Westinghouse Electric Corporation

©2013 WESTINGHOUSE LIGHTING CORPORATION / 0213  
[www.westinghouselighting.eu](http://www.westinghouselighting.eu)

